



Блок Контроля Джет Филтра

Jet Filter Control Unit



БЛОК КОНТРОЛЯ ДЖЕТ ФИЛЬТРА

ОБЩИЕ ХАРАКТЕРИСТИКИ

Этот блок управления предназначен для управления распределительной системой струйных фильтров с шаговым двигателем.

Технические характеристики:

- Обеспечивает точное управление благодаря микропроцессорной конструкции.
- Переключение между рукавами осуществляется с помощью управления шаговым двигателем.
- Имеет двухстрочный LCD-дисплей
- Имеется две отдельные настройки времени; времени подачи воздуха и времени перехода между рукавами.
- Можно контролировать клапан пневмомолотка.
- Напряжение Питания: 220 В пост. ток



JET FILTER CONTROL UNIT

GENERAL FEATURES

This control unit is a distributor based jet with stepper motor designed to control the filter system.

General Features:

- Provides precise control with microprocessor based design.
- Switching between bags is done by stepper motor control.
- It has a two-line (rows) LCD screen.
- As air delivery time and transition time between bags there are two separate time settings.
- The mallet (hammer) valve can be controlled.
- Supply Voltage: 220V AC


НАШИ ПАРТНЕРЫ / OUR PARTNERS



НАШИ СЕРТИФИКАТЫ / CERTIFICATES



Where Techonology Meets the Hearth of Industry



Head Office & Fabric ;

Büyükkayacık OSB. 513 Nolu Sokak
No:9 Selçuklu / Konya

E-Mail ;

info@atara.com.tr

Telephone ;

+90 332 345 0206

