


ValsMatik Kontrol Ünitesi

RollerMatic Control Unit



VALSMATİK KONTROL ÜNİTESİ

GENEL ÖZELLİKLERİ

Valsmatik Kontrol Ünitesi; vals makinelerinin manuel ve otomatik kontrolünü sağlayan yüksek performanslı mikrodenetleyici tabanlı kontrol cihazıdır.

Teknik Özellikler:

- 2.5" Monokrom grafik LCD ile kolay ve hızlı programlama,
 - 8 adet termokupl sensör ile vals toplarının sıcaklığını kontrol eder,
 - 1 adet analog çıkış kanalı (0-10V),
 - 2 adet analog giriş kanalı ile akım okuma,
 - 4 adet dijital giriş,
 - 4 Adet dijital çıkış.
- Besleme voltajı: 24V DC



ROLLERMATIC CONTROL UNIT

GENERAL FEATURES

It is a high-performance microcontroller based controller that provides manual and fully automatic control of roller machines.

General Features:

- Easy and fast programming with 2.5" Monochrome graphic LCD,
 - Control the temperature of the rolls with 8 thermocouple sensors does,
 - 1 pcs analog output channel (0-10V),
 - Current reading with 2 analog input channels,
 - 4 pcs digital inputs,
 - 4 pcs digital outputs.
- Supply voltage: 24V DC

PARTNERLERİMİZ / OUR PARTNERS



SERTİFİKALARIMIZ / CERTIFICATES



Where Techonology Meets the Hearth of Industry



Head Office & Fabric ;

Büyükkayacık OSB. 513 Nolu Sokak
No:9 Selçuklu / Konya

E-Mail ;

info@atara.com.tr

Telephone ;

+90 332 345 0206

