


Блок Управления Вальцовым Станком RollerMatic

RollerMatic Control Unit



БЛОК УПРАВЛЕНИЯ ВАЛЬЦОВЫМ СТАНКОМ ROLLERMATIC

ОБЩИЕ ХАРАКТЕРИСТИКИ

Высокопроизводительное устройство управления на основе микроконтроллера, которое обеспечивает ручное и полностью автоматическое управление вальцовым станком

Технические характеристики:

Простое и быстрое программирование с помощью 2,5-дюймового монохромного графического ЖК-дисплея,
Контролирует температуру вальцевых цилиндров с помощью 8 термопарных датчиков,
аналоговый выходной канал (0-10 В), 1 шт
считывание тока с аналоговыми входными каналами, 2 шт
цифровые входы, 4 шт
цифровые выходы, 4 шт.
Напряжение питания: 24 В постоянного тока



ROLLERMATIC CONTROL UNIT

GENERAL FEATURES

It is a high-performance microcontroller based controller that provides manual and fully automatic control of roller machines.

General Features:

Easy and fast programming with 2.5" Monochrome graphic LCD,
Control the temperature of the rolls with 8 thermocouple sensors does,
1 pcs analog output channel (0-10V),
Current reading with 2 analog input channels,
4 pcs digital inputs,
4 pcs digital outputs.
Supply voltage: 24V DC


НАШИ ПАРТНЕРЫ / OUR PARTNERS



НАШИ СЕРТИФИКАТЫ / CERTIFICATES



Where Techonology Meets the Hearth of Industry



Head Office & Fabric ;

Büyükkayacık OSB. 513 Nolu Sokak
No:9 Selçuklu / Konya

E-Mail ;

info@atara.com.tr

Telephone ;

+90 332 345 0206

